

Product Features

RAY Series - an ADA compliant wall sconce architectural luminaire, offering brilliant illumination with an 90+ CRI and a powerful 6W 400lm/FT light engine. Constructed from high quality die-cast aluminum with impact resistant diffused lens. The luminaire features 360° continuous tube rotation, vertical or horizontal mount, available in standard white, black, copper, pewter, satin nickel finishes, static CCT or Dim-to-Warm feature of 3000K ~ 1800K. 85% luminous flux retention after 50,000 hours.

Technical Specifications

INPUT VOLTAGE	AC120-277V (REMOTE DRIVER)
FREQUENCY	50/60hz
LUMEN	400lm/ft
WATTAGE	6W/ft
COLOR TEMPERATURE	Static CCT 2700K / 3000K / 3500K / 4000K Warm Dim 3000K ~ 1800K
COLOR RENDERING INDEX	>90
DISTRIBUTION	113° Beam Angle (Rotatable)
LIFE SPAN	>50,000 Hours
DIMMING	3-IN-1: 0-10v Dimming / Triac / ELV Dimming



RAY SERIES | RA

SUBMITTAL WORKSHEET

Order Code Example: **RA** **- S1** **- 27** **- WM** **- BK** **- UDAE** **- OPTIONS**
 A B C D E F G

A SERIES

RA Ray Series Slimline Wall Sconces

B SIZE & OUTPUT

CODE	SIZE	POWER & LUMEN	DIMENSION
S1	Single Tube 12"	6W / 400lm	Tube L14.02" x OD 1.13"
S2	Single Tube 24"	12W / 800lm	Tube L24.42" x OD 1.13"
D1	Double Tube 12"	12W / 800lm	Tube L28.04" x OD 1.13"
D2	Double Tube 24"	24W / 1600lm	Tube L48.84" x OD 1.13"

C CCT (CHOOSE ONE)

27	2700K
30	3000K
35	3500K
40	4000K
DW	Dim-to-Warm 3000K ~ 1800K

D MOUNTING

WM Wall Mount

E FINISH

WH	Smooth White
BK	Smooth Black
CP	Copper
PW	Pewter
SN	Satin Nickel
	See Color Chart Pg. 4

F INPUT

UD3AE Remote Driver 120-277V Input, 3-in-1 Dimming: 0-10V/Triac/ELV Dimming

G OPTIONS

BAA Assembled in America, compliant with BAA (COTS)

RAY SERIES | RA


DIMENSIONS

CODE	DIMENSION			
	L	W1	W2	H
RA-S1	14.02"	OD 1.13"	3.29"	OD 5.00"
RA-S2	24.42"	OD 1.13"	3.29"	OD 5.00"
RA-D1	28.04"	OD 1.13"	3.29"	OD 5.00"
RA-D2	48.84"	OD 1.13"	3.29"	OD 5.00"

RA-S1 / S2

W1


360° Rotation




RA-D1 / D2

W1


360° Rotation




COLOR CHART (CHOOSE ONE)




WH - White




BK - Black



CP - Copper



PW - Pewter



SN - Satin Nickel