




RV-87 - 3" Width Profile Direct

Product Features

Revolve Series 87 - Make a bold statement with 3" width Revolve, a striking blend of modern design and powerful performance. Its sleek circular form and wide luminous band create an unforgettable focal point, flooding spaces with smooth, glare-free light that feels both dramatic and inviting. Perfect for lobbies, offices, and hospitality environments, this fixture transforms ceilings into design features, offering customizable lumen output, finishes, and mounting styles for various application, single ring shaped frosted PMMA lens; soft direct illumination for general illumination and maximum visual comfort; SAMSUNG LED with above 90CRI; available in 2700K, 3000K, 3500K, 4000K, RGBW and Tunable White; 85% of luminous flux after 50000-hours; ETL damp location listed; universal power supply with 0-10v dimming capability.

Technical Specifications

INPUT VOLTAGE	Universal Input AC120-277V
FREQUENCY	50/60hz
COLOR TEMPERATURE	2700K, 3000K, 3500K, 4000K, RGBW, Tunable White
COLOR RENDERING INDEX	90
DISTRIBUTION	Direct
IP RATING	Damp Location
LIFE SPAN	50,000 Hours
DIMMING	0-10V Dimming





Order Code Example: **RV-87** - **D3** - **40** - **CM2** - **MW** - **WH** - **OPTIONS**

A B C D E F G

RV-87 Revolve Series 3" Width Profile Ring Shaped Luminaire

CODE	DISTRIBUTION	POWER & LUMEN		LPW	DIMENSION	SECTION	DRIVER
D2	Direct	40W	3,400lm	85	D24" x W3.1" x H3.94"	1	1
D3	Direct	50W	4,250lm	85	D36" x W3.1" x H3.94"	1	1
D4	Direct	80W	6,800lm	85	D48" x W3.1" x H3.94"	1	2
D5	Direct	100W	8,500lm	85	D60" x W3.1" x H3.94"	1	2
D6.5	Direct	120W	10,200lm	85	D79" x W3.1" x H3.94"	3	3
D8	Direct	160W	13,600lm	85	D95" x W3.1" x H3.94"	4	4
D10	Direct	200W	17,000lm	85	D118" x W3.1" x H3.94"	5	5
D13.5	Direct	300W	25,500lm	85	D166" x W3.1" x H3.94"	6	6
D16	Direct	400W	34,000lm	85	D197" x W3.1" x H3.94"	6	12

27	2700K
30	3000K
35	3500K
40	4000K
RGBW*	Red, Green, Blue, White - Mix LED
TW*	Tunable White

*Custom-build, please consult factory

CM*	5FT Steel Cable, 10-Inch / 14-Inch Surface Mount Canopy, Integral Driver (Canopy size varies by fixture output)
CM2*	5FT Steel Cable, 10-Inch / 14-Inch Surface Mount Canopy w/Center-Ring, Integral Driver (Canopy size varies by fixture output)
QM*	5FT Steel Cable Direct Mount, 10-Inch/14-Inch Surface Mount Canopy, Integral Driver (Canopy size varies by fixture output)
SM	Surface Mount Kit, Remote Driver Enclosure

*See compatible list on Pg 3~4

MB	Black
MW	White
MS	Silver
CC*	Customized Color

*see Customized Color Chart on pg 5



BK Standard 5FT Black Power Cord / Specify Length ____ **FT** (Suspension cable length will match)

WH Standard 5FT White Power Cord / Specify Length ____ **FT** (Suspension cable length will match)

blank	120/277V 0-10V Dimming
FAD	Customized Output (Consult Factory)
BAA	Assembled in America. Compliant with BAA (COTS)

REVOLVE SERIES | RV-87 3" PROFILE

DIMENSIONS



FIXTURE MODEL

RV-87-D2	D24" x W3.1" x H3.94"
RV-87-D3	D36" x W3.1" x H3.94"
RV-87-D4	D48" x W3.1" x H3.94"
RV-87-D5	D60" x W3.1" x H3.94"
RV-87-D6.5	D79" x W3.1" x H3.94"
RV-87-D8	D95" x W3.1" x H3.94"
RV-87-D10	D118" x W3.1" x H3.94"
RV-87-D13.5	D166" x W3.1" x H3.94"
RV-87-D16	D197" x W3.1" x H3.94"

DIMENSION

D24" x W3.1" x H3.94"
D36" x W3.1" x H3.94"
D48" x W3.1" x H3.94"
D60" x W3.1" x H3.94"
D79" x W3.1" x H3.94"
D95" x W3.1" x H3.94"
D118" x W3.1" x H3.94"
D166" x W3.1" x H3.94"
D197" x W3.1" x H3.94"

MOUNTING CANOPY OPTION

CM-10", CM2-11", QM, SM
CM-10", CM2-11", QM, SM
CM-10", CM2-11", QM, SM
CM-14", CM2-14", QM, SM
CM-14", CM2-14", QM, SM
QM, SM
QM, SM
QM, SM
QM, SM


D = Outer Diameter

MOUNTING OPTIONS

CM - Canopy Mount

FIXTURE CANOPY SIZE


RV-87-D2	10"
RV-87-D3	10"
RV-87-D4	10"
RV-87-D5	14"
RV-87-D6.5	14"




CM2 - Canopy Mount w/Center Ring

FIXTURE CANOPY SIZE

RV-87-D2	11"
RV-87-D3	11"
RV-87-D4	11"
RV-87-D5	14"
RV-87-D6.5	14"




ø11.02" (ø280mm)




11" Surface Mount Canopy

ø9.45" (ø240mm)




Center Ring w/Single Wire Hole

ø13.78" (ø350mm)



14" Surface Mount Canopy

ø12.20" (ø310mm)




Center Ring w/Double Wire Hole

REVOLVE SERIES | RV-87 3" PROFILE

MOUNTING OPTIONS

QM - Quick Mount w/Surface Mount Canopy

FIXTURE	CANOPY SIZE
RV-87-D2	10"
RV-87-D3	10"
RV-87-D4	10"
RV-87-D5	14"
RV-87-D6.5	14"
RV-87-D8	14"
RV-87-D10	14"
RV-87-D13.5	14"
RV-87-D16	14"



REVOLVE SERIES | RV-87 3" PROFILE

COLOR CHART (CHOOSE ONE)

CC
RAL

Specify Color Code:
Specify RAL Color:



GR - Green



BL - Blue



PP - Purple



PK - Pink



RD - Red



OG - Orange



YW - Yellow



MB - Matte Black



GB - Gloss Black



MW - Matte White



GW - Gloss White



OB - Oil Rubbed Bronze



GZ - Gloss Bronze



MS - Matte Silver



MBS - Matte Brass



GBS - Gloss Brass



CNH285 - American Walnut



QL0928 - European Cherry



QL0503 - Light Oak



QL0411 - Maple



QL0908 - Palisander Santos