

Inner



Outer

### Product Features

ALLURE Revolve Series 84 - Ring shaped architectural luminaire housing from rolled aluminum extruded profile, seamlessly welded; available with matte Black, White, Silver or custom RAL finish; offered with steel cable suspension system through surface canopy or direct ceiling mount, entire luminaire homogeneously illuminated, ring shaped frosted PMMA lens; available with inner or outer facing emission; SAMSUNG LED with above 90CRI; available in 2700K, 3000K, 3500K, 4000K, RGBW and Tunable White; 85% of luminous flux after 50,000 hours; ETL damp location listed; universal power supply with 0-10V dimmable or optional ELV dimmable capability.

### Technical Specifications

INPUT VOLTAGE	Universal Input AC120-277V
FREQUENCY	50/60hz
COLOR TEMPERATURE	2700K, 3000K, 3500K, 4000K, RGBW, Tunable White
COLOR RENDERING INDEX	90
DISTRIBUTION	Inner, Outer
IP RATING	Damp Location
LIFE SPAN	>50,000 Hours
DIMMING	0-10v Dimming






**REVOLVE SERIES | RV-84**

**DIMENSIONS**



**INNER**



FIXTURE MODEL	DIMENSION	MOUNTING CANOPY OPTION
RV-84-IN2	D24" x W1.4" x H1.3"	CM-10", CM2-11", QM, SM
RV-84-IN3	D36" x W1.4" x H1.3"	CM-10", CM2-11", QM, SM
RV-84-IN4	D48" x W1.4" x H1.3"	CM-10", CM2-11", QM, SM
RV-84-IN5	D60" x W1.4" x H1.3"	CM-14", CM2-14", QM, SM

D = Outer Diameter

**OUTER**




FIXTURE MODEL	DIMENSION	MOUNTING CANOPY OPTION
RV-84-OU2	D24" x W1.4" x H1.3"	CM-10", CM2-11", QM, SM
RV-84-OU3	D36" x W1.4" x H1.3"	CM-10", CM2-11", QM, SM
RV-84-OU4	D48" x W1.4" x H1.3"	CM-10", CM2-11", QM, SM
RV-84-OU5	D60" x W1.4" x H1.3"	CM-14", CM2-14", QM, SM

D = Outer Diameter

**MOUNTING OPTIONS**



**CM - Canopy Mount**

FIXTURE	CANOPY SIZE
RV-84-IN2	10"
RV-84-IN3	10"
RV-84-IN4	10"
RV-84-IN5	14"
RV-84-OU2	10"
RV-84-OU3	10"
RV-84-OU4	10"
RV-84-OU5	14"




**CM2 - Canopy Mount w/Center Ring**


FIXTURE	CANOPY SIZE
RV-84-IN2	11"
RV-84-IN3	11"
RV-84-IN4	11"
RV-84-IN5	14"
RV-84-OU2	11"
RV-84-OU3	11"
RV-84-OU4	11"
RV-84-OU5	14"




**11" Surface Mount Canopy**



**Center Ring w/Single Wire Hole**



**14" Surface Mount Canopy**




**Center Ring w/Double Wire Hole**

**MOUNTING OPTIONS**

**QM - Quick Mount w/Surface Mount Canopy**

FIXTURE	CANOPY SIZE
RV-84-IN2	10"
RV-84-IN3	10"
RV-84-IN4	10"
RV-84-IN5	14"
RV-84-OU2	10"
RV-84-OU3	10"
RV-84-OU4	10"
RV-84-OU5	14"



**COLOR CHART** (CHOOSE ONE)

**CC**  
**RAL**

Specify Color Code:  
Specify RAL Color:



GR - Green



BL - Blue



PP - Purple



PK - Pink



RD - Red



OG - Orange



YW - Yellow



MB - Matte Black



GB - Gloss Black



MW - Matte White



GW - Gloss White



OB - Oil Rubbed Bronze



GZ - Gloss Bronze



MS - Matte Silver



MBS - Matte Brass



GBS - Gloss Brass



CNH285 - American Walnut



QL0928 - European Cherry



QL0503 - Light Oak



QL0411 - Maple



QL0908 - Palisander Santos