
ALLURE®
ARCHITECTURAL

REVOLVE SERIES | RV-87

Client:
Project:
Type:
Quantity:



Product Features

Revolve Series 87 - Make a bold statement with a striking blend of modern design and powerful performance. Its sleek circular form and wide luminous band options create an unforgettable focal point, flooding spaces with smooth, glare-free light that feels both dramatic and inviting. Perfect for lobbies, offices, and hospitality environments, this fixture transforms ceilings into design features. Available in 3.1”, 4.1”, and 4.6” band width options, offering customizable lumen output, finishes, and mounting styles for various application, single ring shaped frosted PMMA lens; soft direct illumination for general illumination and maximum visual comfort; SAMSUNG LED with above 90CRI; available in 2700K, 3000K, 3500K, 4000K, RGBW and Tunable White; 85% of luminous flux after 50000-hours; ETL damp location listed; universal power supply with 0-10v dimming capability.

Technical Specifications

INPUT VOLTAGE	Universal Input AC120-277V
FREQUENCY	50/60hz
COLOR TEMPERATURE	2700K, 3000K, 3500K, 4000K, RGBW, Tunable White
COLOR RENDERING INDEX	90
DISTRIBUTION	Direct
IP RATING	Damp Location
LIFE SPAN	50,000 Hours
DIMMING	0-10V Dimming

ETL LISTED c US Intertek

PROUDLY ASSEMBLED IN AMERICA

ALLURE ARCHITECTURAL®
14750 East Nelson Ave Unit B
City of Industry, CA 91744
P: 909-598-1077
www.allureltg.com

ALS Advantage Lighting Solutions
ALLURE ARCHITECTURAL®
an Advantage Lighting Solutions® brand
All Rights Reserved
Specifications and dimensions
subject to change without notice

ALLURE®
ARCHITECTURAL

REVOLVE SERIES | RV-87

SUBMITTAL WORKSHEET

Order Code Example: RV-87-S - D3 - 40 - CM2 - MW - WH - OPTIONS
A B C D E F G

A SERIES (CHOOSE ONE)

☐ **RV-87-S**	Revolve Series 3.1" Width Profile Ring Shaped Luminaire
☐ **RV-87-M**	Revolve Series 4.1" Width Profile Ring Shaped Luminaire
☐ **RV-87-W**	Revolve Series 4.6" Width Profile Ring Shaped Luminaire

B SIZE & OUTPUT (CHOOSE ONE)

CODE	DISTRIBUTION	POWER	LUMEN	LPW	DIMENSION	SECTION	DRIVER
☐ **D2**	Direct	40W	3,400lm	85	D24" x H3.94"	1	1
☐ **D3**	Direct	50W	4,250lm	85	D36" x H3.94"	1	1
☐ **D4**	Direct	80W	6,800lm	85	D48" x H3.94"	1	2
☐ **D5**	Direct	100W	8,500lm	85	D60" x H3.94"	1	2
☐ **D6.5**	Direct	120W	10,200lm	85	D79" x H3.94"	3	3
☐ **D8**	Direct	160W	13,600lm	85	D95" x H3.94"	4	4
☐ **D10**	Direct	200W	17,000lm	85	D118" x H3.94"	5	5
☐ **D13.5**	Direct	300W	25,500lm	85	D166" x H3.94"	6	6
☐ **D16**	Direct	400W	34,000lm	85	D197" x H3.94"	6	12

C CCT (CHOOSE ONE)

☐ **27**	2700K
☐ **30**	3000K
☐ **35**	3500K
☐ **40**	4000K
☐ **RGBW***	Red, Green, Blue, White - Mix LED
☐ **TW***	Tunable White

*Custom-build, please consult factory

D MOUNTING

☐ **CM***	5FT Steel Cable, 10-Inch / 14-Inch Surface Mount Canopy, Integral Driver (Canopy size varies by fixture output)
☐ **QM***	5FT Steel Cable Direct Mount, 10-Inch/14-Inch Surface Mount Canopy, Integral Driver (Canopy size varies by fixture output)

*See compatible list on Pg 3

E FINISH

☐ **MB**	Black
☐ **MW**	White
☐ **MS**	Silver
☐ **CC***	Customized Color

*see Customized Color Chart on pg 4

F POWER CORD (CHOOSE ONE)

☐ **BK**	Standard 5FT Black Power Cord / Specify Length ___ **FT** (Suspension cable length will match)
☐ **WH**	Standard 5FT White Power Cord / Specify Length ___ **FT** (Suspension cable length will match)

G OPTIONS


☐ **blank**	120/277V 0-10V Dimming
☐ **FAD**	Customized Output (Consult Factory)
☐ **BAA**	Assembled in America, Compliant with BAA (COTS)


ALLURE ARCHITECTURAL®
14750 East Nelson Ave Unit B
City of Industry, CA 91744
P: 909-598-1077
www.allureltg.com

ALLURE ARCHITECTURAL®
an Advantage Lighting Solutions® brand
All Rights Reserved
Specifications and dimensions
subject to change without notice

REVOLVE SERIES | RV-87

DIMENSIONS





FIXTURE MODEL	DIMENSION	MOUNTING CANOPY OPTION
RV-87-S-D2	D24” x W3.1” x H3.94”	CM-10”, CM2-11”, QM, SM
RV-87-S-D3	D36” x W3.1” x H3.94”	CM-10”, CM2-11”, QM, SM
RV-87-S-D4	D48” x W3.1” x H3.94”	CM-10”, CM2-11”, QM, SM
RV-87-S-D5	D60” x W3.1” x H3.94”	CM-14”, CM2-14”, QM, SM
RV-87-S-D6.5	D79” x W3.1” x H3.94”	CM-14”, CM2-14”, QM, SM
RV-87-S-D8	D95” x W3.1” x H3.94”	QM, SM
RV-87-S-D10	D118” x W3.1” x H3.94”	QM, SM
RV-87-S-D13.5	D166” x W3.1” x H3.94”	QM, SM
RV-87-S-D16	D197” x W3.1” x H3.94”	QM, SM
RV-87-M-D2	D24” x W4.1” x H3.94”	CM-10”, CM2-11”, QM, SM
RV-87-M-D3	D36” x W4.1” x H3.94”	CM-10”, CM2-11”, QM, SM
RV-87-M-D4	D48” x W4.1” x H3.94”	CM-10”, CM2-11”, QM, SM
RV-87-M-D5	D60” x W4.1” x H3.94”	CM-14”, CM2-14”, QM, SM
RV-87-M-D6.5	D79” x W4.1” x H3.94”	CM-14”, CM2-14”, QM, SM
RV-87-M-D8	D95” x W4.1” x H3.94”	QM, SM
RV-87-M-D10	D118” x W4.1” x H3.94”	QM, SM
RV-87-M-D13.5	D166” x W4.1” x H3.94”	QM, SM
RV-87-M-D16	D197” x W4.1” x H3.94”	QM, SM
RV-87-W-D2	D24” x W4.6” x H3.94”	CM-10”, CM2-11”, QM, SM
RV-87-W-D3	D36” x W4.6” x H3.94”	CM-10”, CM2-11”, QM, SM
RV-87-W-D4	D48” x W4.6” x H3.94”	CM-10”, CM2-11”, QM, SM
RV-87-W-D5	D60” x W4.6” x H3.94”	CM-14”, CM2-14”, QM, SM
RV-87-W-D6.5	D79” x W4.6” x H3.94”	CM-14”, CM2-14”, QM, SM
RV-87-W-D8	D95” x W4.6” x H3.94”	QM, SM
RV-87-W-D10	D118” x W4.6” x H3.94”	QM, SM
RV-87-W-D13.5	D166” x W4.6” x H3.94”	QM, SM
RV-87-W-D16	D197” x W4.6” x H3.94”	QM, SM

D = Outer Diameter


ALLURE ARCHITECTURAL®
14750 East Nelson Ave Unit B
City of Industry, CA 91744
P: 909-598-1077
www.allureltg.com

ALLURE ARCHITECTURAL®
an Advantage Lighting Solutions® brand
All Rights Reserved
Specifications and dimensions
subject to change without notice

MOUNTING OPTIONS


CM - Canopy Mount

FIXTURE	CANOPY SIZE
RV-87-D2	10”
RV-87-D3	10”
RV-87-D4	10”
RV-87-D5	10”



QM - Quick Mount w/Surface Mount Canopy

FIXTURE	CANOPY SIZE
RV-87-D2	10”
RV-87-D3	10”
RV-87-D4	10”
RV-87-D5	14”
RV-87-D6.5	14”
RV-87-D8	14”
RV-87-D10	14”
RV-87-D13.5	14”
RV-87-D16	14”



All Rights Reserved
Specifications and dimensions
subject to change without notice

ALLURE®
ARCHITECTURAL

REVOLVE SERIES | RV-87

COLOR CHART (CHOOSE ONE)

☐ **CC** Specify Color Code:
☐ **RAL** Specify RAL Color:


GR - Green


BL - Blue


PP - Purple


PK - Pink


RD - Red


OG - Orange


YW - Yellow


MB - Matte Black


GB - Gloss Black


MW - Matte White


GW - Gloss White


OB - Oil Rubbed Bronze


GZ - Gloss Bronze


MS - Matte Silver


MBS - Matte Brass


GBS - Gloss Brass


CNH285 - American Walnut


QL0928 - European Cherry


QL0503 - Light Oak


QL0411 - Maple


QL0908 - Palisander Santos

ALLURE ARCHITECTURAL®
14750 East Nelson Ave Unit B
City of Industry, CA 91744
P: 909-598-1077
www.allureltg.com

ALS
Advantage Lighting Solutions

ALLURE ARCHITECTURAL®
an Advantage Lighting Solutions® brand
All Rights Reserved
Specifications and dimensions
subject to change without notice