

Product Features

LUX Series LX2CL custom linear architectural luminaire constructed from a 2" wide extruded aluminum profile, available in multiple lengths and configurations. Fixture is offered in Matte Black, Matte White, or custom color (CC) finishes. Quick Mount utilizes a 5-foot steel cable system for direct ceiling installation, with an integral driver housed within the fixture and power feed supplied through a 5-inch junction box cover plate. Luminaire features a frosted PMMA lens for smooth illumination, providing even direct light distribution for general lighting applications. 90+ CRI. Available in 3000K, 3500K, and 4000K CCT. Rated for 120/277V with 0–10V dimming standard. Suitable for damp locations.

Technical Specifications

INPUT VOLTAGE	AC120-277V
FREQUENCY	50/60hz
COLOR TEMPERATURE	3000K / 3500K / 4000K
COLOR RENDERING INDEX	90
DISTRIBUTION	Direct
IP RATING	Damp Location
LIFE SPAN	>50,000 Hours
DIMMING	0-10v Dimming



LUX SERIES | LUX 2 CUSTOM LINEAR

SUBMITTAL WORKSHEET

Order Code Example: **LX2CL - L42 - 30 - QM - MB - OPTIONS**
 A B C D E F

A SERIES (CHOOSE ONE)

LX2CL LUX Series 2" Custom Linear Architectural Luminaire

B SIZE & OUTPUT (CHOOSE ONE)

CODE **POWER / LUMEN**
 Specify: Length _____ Width _____ 5W per Foot / 105 lm/W

C CCT (CHOOSE ONE)

30 3000K
35 3500K
40 4000K

D MOUNTING

QM 5FT Steel Cable Direct Mount, 5-Inch Junction Box Cover Plate With Integral Driver

E FINISH (CHOOSE ONE)

MB Matte Black **CC*** Customized Color
MW Matte White *see Customized Color Chart on pg 5


F OPTIONS

blank 120/277V 0-10V Dimming
FAD Customized Output (Consult Factory)

LUX SERIES | LUX 2 CUSTOM LINEAR


DIMENSIONS

LUMINAIRE CODE	A	L	W	H	R
LX2CL	2" (51mm)	Specify	Specify	3" (76mm)	11.81" (300mm)



DIMENSIONS

Quick Mount



LUX SERIES | LUX 2 CUSTOM LINEAR

COLOR CHART (CHOOSE ONE)

CC
RAL

Specify Color Code:
Specify RAL Color:



GR - Green



BL - Blue



PP - Purple



PK - Pink



RD - Red



OG - Orange



YW - Yellow



MB - Matte Black



GB - Gloss Black



MW - Matte White



GW - Gloss White



OB - Oil Rubbed Bronze



GZ - Gloss Bronze



MS - Matte Silver



MBS - Matte Brass



GBS - Gloss Brass